

## Post-operative Instructions

### Back Lift

#### Bandages:

- ✓ You stay at the clinic for one day. The postoperative care involves administering medicine (analgesic, and if necessary, antibiotics and anti-thromboembolism medicine) as well as regular checks on the patient's state.
- ✓ During the first check-up, the bandages are changed and the wound is checked and rinsed with disinfectant. A new bandage is placed over the area.
- ✓ You must not remove the bandages! This can only be done by qualified personnel at the Clinic.
- ✓ In the immediate post-operative period (one month), the elastic bandage can be taken off only for the time necessary for personal hygiene. The bandage aids the healing process and helps to enable ease of movement.

#### Regime and Rest:

- ✓ You should avoid lifting the arms, bending, stretching or reaching out; avoid all sudden movements and physical strain for three weeks. Women should be careful when wearing a bra as the scar will be close to its edge and contact with it should be avoided.
- ✓ Get plenty of rest.
- ✓ Follow balanced diet.
- ✓ Decreased activity may promote constipation, so you may want to add more raw fruit to your diet, and be sure to increase fluid intake.
- ✓ Take pain medication as prescribed. Do not take aspirin or any products containing aspirin unless approved by your physician.
- ✓ Do not drink alcohol when taking pain medications.
- ✓ Even when not taking pain medications, no alcohol for 3 weeks as it causes fluid retention.
- ✓ If you are taking vitamins with iron, resume these as tolerated.

#### Activities:

- ✓ Start walking as soon as possible, as this helps to reduce swelling and lowers the chance of blood clots.
- ✓ Do not drive until you are no longer taking any pain medications (narcotics).
- ✓ Social activities can be resumed 10-14 days after surgery.
- ✓ Avoid strenuous exercise and activities such as sports for 4 weeks.

#### Incision Care:

- ✓ If drainage tube(s) have been placed, you may shower 48 hours after removal.
- ✓ Avoid exposing scars to sun for at least 12 months.
- ✓ Always use a strong sunblock, if sun exposure is unavoidable (SPF 30 or greater).
- ✓ Keep steri-strips on.

- ✓ Keep incisions clean and inspect daily for signs of infection.

#### Massages:

- ✓ It is possible to apply pressure massages one week after the stitches have been removed or absorbed, if recommended by the doctor.
- ✓ Special lotions or gels minimising scars or haematomas can also be recommended by the physician.

#### Undesirable Habits:

- ✓ Smoking and addictive substances generally speed up ageing and slow down the healing process; they should be avoided (at least one to two months).

#### Possible Reactions after the Operation:

- ✓ In some cases your temperature may slightly rise for a period of two to three days. An analgesic can easily ease the discomfort connected to any possible pain in the area operated upon.

#### Possible Complications:

- ✓ Post-operative bleeding, or bleeding caused by insufficient post-operative care at home.
- ✓ Swelling, discoloration, and tightness of skin for 10-14 days.
- ✓ Prolonged healing
- ✓ Haematomas
- ✓ Infection of the wound
- ✓ Imperfect effect resulting from nonobservance of the post-operative instructions given by the doctor.

#### When to Call:

- ✓ If you have increased swelling or bruising.
- ✓ If swelling and redness persist after a few days.
- ✓ If you have increased redness along the incision.
- ✓ If you have severe or increased pain not relieved by medication.
- ✓ If you have any side effects to medications; such as, rash, nausea, headache, vomiting.
- ✓ If you have any yellowish or greenish drainage from the incisions or notice a foul odor.
- ✓ If you have bleeding from the incisions that is difficult to control with light pressure.
- ✓ If you have loss of feeling or motion.

These instructions are based on a normal post-operative condition. Healing and recovering are highly individual processes and apart from the patients' capacity to heal these also depend on their conscientiousness and respecting the post-operative instructions.

We would love to see how the healing process went and if you are satisfied with the results. Could you please send us some pictures after 2-3 months after the surgery so we can evaluate the results of the treatment.

#### Cosmetic Surgery Post-operative Care:

For full post-operative care, including wound dressings, removal of sutures, wound fluid aspiration and general advice following the surgery, our patients can receive preferential rates at:

**Medical Express Clinic**

117a Harley Street

London W1G 6AT

Tel: 02074991991

or

**Karen Marwood-Jones R.G.N.**

4 Upper Wimpole Street

London W1G 6LF

Tel: 07901822393

The cost of the consultation will vary, according to the nature of your surgery. For standard wound care and suture removal, MediCzech patients will be charged only £80 per session.

or

**Judith Jobling, RGN. RM. INP. LLB (Hons)**

Aesthetic and Bariatric Nurse Specialist and Band Fill Practitioner

Beauty Is Skin Deep

3 Chiltern Avenue, Flixton

Manchester M41 8SX

Tel: 07947606275

Free personal consultation at clinic which is situated near motorways and close to the Trafford Centre. Evening and weekend appointments available. Home visits can be arranged at extra cost.